

### **Amendment to the Claims**

1. (Original) In a mobile terminal, a method of activating a silent mode for PTT calls, the method comprising:

activating a silent mode for the mobile terminal that includes sending a message instructing a PTT server to disable the PoC global setting associated with the mobile terminal's PTT server accept list.

2. (Amended) In a mobile terminal, a method of de-activating a silent mode for PTT calls, the method comprising:

de-activating a silent mode for the mobile terminal that includes sending a message instructing a PTT server to enable the PoC global setting associated with the mobile terminal's PTT server accept list.

3. (Original) In a PTT server, a method of activating a silent mode for PTT calls for a client mobile terminal, the method comprising:

receiving a message from the client mobile terminal instructing the PTT server to disable the PoC global setting associated with the client mobile terminal's PTT server accept list, said message the result of the mobile terminal activating a silent mode.

4. (Original) In a PTT server, a method of de-activating a silent mode for PTT calls for a client mobile terminal, the method comprising:

receiving a message from the client mobile terminal instructing the PTT server to enable the PoC global setting associated with the client mobile terminal's PTT server accept list, said message the result of the mobile terminal de-activating a silent mode.

5. (New) In a mobile terminal, a computer program product embodied on a computer readable medium for activating a silent mode for PTT calls, the computer program product comprising:

computer program code for activating a silent mode for the mobile terminal that includes computer program code for sending a message instructing a PTT server to disable the PoC global setting associated with the mobile terminal's PTT server accept list.

6. (New) In a mobile terminal, a computer program product embodied on a computer readable medium for de-activating a silent mode for PTT calls, the computer program product comprising:

computer program code for de-activating a silent mode for the mobile terminal that includes computer program code for sending a message instructing a PTT server to enable the PoC global setting associated with the mobile terminal's PTT server accept list.

7. (New) In a PTT server, a computer program product embodied on a computer readable medium for activating a silent mode for PTT calls for a client mobile terminal, the computer program product comprising:

computer program code for receiving a message from the client mobile terminal instructing the PTT server to disable the PoC global setting associated with the client mobile terminal's PTT server accept list, said message the result of the mobile terminal activating a silent mode.

8. (New) In a PTT server, a computer program product embodied on a computer readable medium for de-activating a silent mode for PTT calls for a client mobile terminal, the computer program product comprising:

computer program code for receiving a message from the client mobile terminal instructing the PTT server to enable the PoC global setting associated with the client mobile terminal's PTT server accept list, said message the result of the mobile terminal de-activating a silent mode.